

កម្ពុជាជីវិតកំបង្ហារហេតុសម្រាប់សិស្សយុមដ្ឋាមសិក្សាថ្នាក់ទី 7 ប៉ែន្តូរយល់ព្រម

សូមបំពេញ វគ្គប្រគល់ជួនសាលាហ្វេនវិញ

របៀបបំពេញទម្រង់បែបទទួល

1. អាជីវកម្មជំនាញដែលបានផ្តល់ជូន។
 2. បំពេញផ្ទិកយល់ព្រមទាក់ចូលបង្ហាញរកសម្រាប់កម្មវិធីពាក់ចូលនឹងមួយ។ ហើយចុះហត្ថលេខា ឬការឃុំបញ្ចូលឈ្មោះរបស់អ្នក ប្រសិនបើត្រូវយកចាន់/ចាន់សំ។
 3. ប្រគល់ផ្ទិកយល់ព្រមដួនសាលាដំឡើង ឬទោះបីជាអ្នកមិនចង់ឱ្យក្នុងរបស់អ្នកពាក់ចូលបង្ហាញរកកំដោយ។

សម្រាក់ទងសាលាប្រកិដកុំបន្ត់របស់អ្នក សម្រាប់ពីតីមានបន្ទូម។ សូមមើលផ្ទិកពីតីមានបន្ទូម។

ព័ត៌មានអំពីការជួលបុសឡើប្រជាប់បន្ទូជមនុស្ស (HPV)

តើវាគតដីបុសលីប្រជាប់ននពុជមនសូជាផី ?

តើការទូលប័ណ្ណបង្ការមួយពេល HPV មានអត្ថប្រយោជន៍អីខ្លះ?

ចូលចាក់ពេលវេលាដែលរាយក្រារ និងសម្រាប់ប្រើប្រាស់ អាជីវកម្មសាងសង់របស់ខ្លួន ដើម្បីជួយបានស្ថិតិយវត្ថុ និងការស្វែងរកស្នូល។

ເກີ້ມໍຕາກໍບັນດາແກ່ຕານຜິລ່ງຂີແຜ້ຍເບົ້າບຸດາ ?

ចំពោះកុមារដែលមានអាយុ ១៤ឆ្នាំ និងនៅក្បាល់នេះនៅថ្ងៃពេលថាកំពើលើកទីមួយ ថ្ងៃពេលថាកំបង្ហាញហេតុ HPV មានការពារកំជាតិរឿង ដែលត្រូវពារកំនៅត្រូវដើម្បីជួយការងារនៃកុមារ និងការពារកំលើកទីពីរ យ៉ាងហេចណាស់ត្រាំមួយខែ បន្ទាប់ពីការពារកំលើកដំបូង។ សូមអារបញ្ញីថែកមិលមុនពេលថាកំពើបង្ហាញហេតុ ដើម្បីមិនបានបានការងារនៃកុមារ។

តើតិចិតលនៃប្រាំបាកកំបង្ហារភេទនឹងមានយោះពេលយុប់ណា ?

ເກີ້ມູ່ຕາກໆບັນດາເກຣມ HPV ມານສູງໃດກາຕົວຢ່າງດາວໃຜ?

ប្រាំនេះមានសុវត្ថិភាព និងមានភាពស្ម័គនលូយា ការចាក់ប្រាំដាច់ចំនួន ២០០លានរៀលក្នុងទាំងពីរឆ្នាំ ត្រូវបានផ្តល់ក្នុងទីសវគ្គបុង្ញជាប្រាយនេះ។ ប្រាំចាក់បង្ការនេះមិនមានផ្លូវក្បួន HPV ទេ ប៉ុន្តែកមានលក្ខណៈស្រាវជ្រ័យត្រឹមផ្លូវក្បួន ដើម្បីឱ្យកងកាយដលិតអង្គបងិប្ប័ ដែលការពារដើម្បីបណ្តុលមកពីមេហ៍ក HPV។

គើឱ្យដែកស្រាវជ្រាវដូចតិន្នន័យនៃពេលការរៀបចំនីតិវិធីអតិថិជន ?

ច្រកដុណាស់ ដោយសារច្បាំចាក់បង្ហាននេះមិនបានបង្ហានដែលបណ្តុះបណ្តាលមកពីមេរក HPV គ្រប់ប្រភេទដែលបង្ហានឱ្យមានដែនីមហាផ្ទៃកស្ថុនៅនោះ ការធ្វើតេស្សិនិត្យកស្ថុនេះត្រូវមានសារសំខាន់ចំពោះស្អែកនៅពេលក្រាយឡើតនៃជីវិត។ ការធ្វើតេស្សិនិត្យកស្ថុនេះជាអេងទាត់ ដួយការបន្ថយ ដើម្បីមានការប្រឈមនៃការកែកដែនីមហាផ្ទៃកស្ថុន៍។

តើអាចមានផលប៉ះពាល់អីខ្លះ?

ជំនាញជាតិ

ទាំងនេះបង្ហាញថា ប្រព័ន្ធការពស្តុបែងក្នុងអ្នកកំណុងផ្ទើយតមបច្ចេកវិទ្យានឹងបង្កើចាក់បង្ហាររហូតនេះ។

- ការណើចាប់ ឡើងក្រហម និងបេីមនៅត្រដួរកន្លែងចាក់ខ្វាំ
 - ជំពូកគុចចុបណ្តាលេខាសន្តនៅត្រដួរកន្លែងចាក់ខ្វាំ
 - គ្រុនកម្រិតទាប
 - មានអាមេណុយមិនស្រួលខ្ពស់
 - ឈើក្បាល
 - ការដូលសន្យាប់អាបកេតឡើងរហូតដល់ពាណិជ្ជកម្ម ក្នុងការរោគរាជរដ្ឋបាល

ប្រសិនបើប្រតិកម្មកម្មិតសាលក៏ត្រឹះដែលបានដោយ

- ការដើរក្នុងបន្ទាន់មិនមែនត្រូវរស្សាកពាក់ក្រស់ពេកទេ បើបុគ្គលមានដំឡើគ្រឿង
 - លេបចុះច្បាក់សេត្តមួល ហើយជាក់ក្រណាត់សីម និងត្រួតជាក់នៅត្រួតដៃកំនែដូចមើលឱ្យដោយសារការពាក់ចាំ។

ជំនាញ

- ប្រតិកម្មអាជ្ញស៊ិដន់ជា ឧទាហរណ្ឌដូចជាបៀមមខ ពិបាកជិកជើងម។

គុណករណីមានប្រតិកម្មអាជ្ញសីធ្លន់ធ្វើ ត្រូវធ្លូលការចិត្តដៃដីសាស្ត្រភាព។ ប្រសិនបើប្រតិកម្មការធ្លន់ធ្វើ បុរាណី ប្រសិនបើអ្នកព្យាយាយថាមសម្រាក់ទេដឹងជំនួយជាតិ មាននឹងពេលវេលាដែលបានការពារក្នុងការប្រកាសអក្ស។

បញ្ជីផែកមិនពេលចាក់ចុំបង្ហាញគោត

កម្មវិធីការបង្ហាញ Gardasil®9 ចំនួនបីលើក។

ដើម្បីធានាថា កុនបេសអូកទូលានការពាក់ខ្លឹមចំងបីលើកតាមពេលវេលាគ្រឹមត្រូវ កុនបេសអូកត្រូវដឹងបង្កើតព្យាពាលហេតុទៅ បុសវិចាក់ខ្លឹមបង្ហាញពីសាលាភ្លេងក្នុងគីឡូប៊ីន

ជ្រើសរើស Gardasil®9 ចំនួនបីលិក ត្រូវបានណែនាំសម្រាប់

- កុមារអោយទៅត្រួលបានពីនេះ
 - កុមារដែលមានដឹងចាញ់ពីការបណ្តុះបណ្តាលរូបរាងភាពស្អែក (ខាងក្រោម) ដើម្បីបង្កើតរបាយការដែលអាចអនុវត្តន៍រាយការណ៍បាន។

- មានអាមេរិកមិនស្រួលនៅថ្ងៃទាក់ច្បាប់បង្ហាញកែត (សីគុណភាពលើសពីរាជ. នអង្វារស)
 - មានប្រតិកម្មផ្លូវដែលបានបង្ហាញកែតណាមឃើយ
 - មានប្រតិកម្មអាណេជ្ជសីផ្លូវផ្សា ដូចជាប្រតិកម្មអាណាពាប្រើទឹកកែតិចឡើងដើរិត
 - មានផ្លូវពេះ។

បន្ទាប់ពីការចាក់បញ្ចាំបង្ការហេតុ សូមដែលចាំនោះនឹងចាក់បញ្ចាំយ៉ាងតិចទៅនាថី។

ព័ត៌មានអំពីជំនួយខាងក្រោម គេតាមឯស និងក្រុកមាន់

ពេជ្ជនាន់ស្ថាក់

ហេតុខាន់ស្សាក់កើតឡើងដោយសារតាក់តែវិនិលគេរកយើង្ហានឯកធម៌មាត់ បំពុះង់ និងប្រមុះ។ ហេតុខាន់ស្សាក់បណ្តុះបណ្តាលឱ្យមានភាសមួយដុះនៅជីវិតបំពុះការងារកូល។ ការនេះអាចធ្វើឱ្យលុំបាកលើបច្ចីកមាត់ ឯកជានឹម ហើយអារមថីមិនបណ្តុះបណ្តាលឱ្យចិប់ដឹងម្បាសប៉ែទ្រពិជី។

ចាក់តើផិតិត្សដោតិតុលម្យាគដែលអាចការដាតឡាតាក់ដីព្រៃកងកាយ ហើយបណ្តាលឱ្យមានភេទស្ថានជូនដាក់តុលម្យាគ និងភេទគំរែងប៉ុង។
មានមនុស្សប្រហែលជាពាណិជ្ជកម្មដែលកើតភេទស្ថានជូនដាក់តុលម្យាគដែលសារឱ្យនឹងនៅខាងក្រោម

ເພື່ອຂາໍ້ສຳກັນການຜູ້ຜະລາຍງົມ: ດຽວກິຈ ນີ້ແມ່ນຄວາມສ່ວນເຫຼືອທີ່ມີກັບເກີດຕິດຝຶກ

ເກມເຄີຍ

ເກລເຄຕາດູສເກີດເຊື້ອັນເຜົາຍສາຕາກໍເຕີບໃຜລສົງຄເກີດັກັນພື້ມູລີ ສິຜາບຊົມສູງ

បាក់តែវីនេះអាចចូលទៅក្នុងរដ្ឋបាលបាយបាយ: មុខរប្បសដើល អាចមានទំនួចស្រីនឹងការមុកមុលមួយ។ ពេលតែតាមុសមិនអាចឆ្លងពីមនុស្សម្នាក់ទៅកាន់មនុស្សម្នាក់ទៀតបានទេ។

ជាប្រើប្រាស់ការត្រួតពិនិត្យសម្រាប់ប្រព័ន្ធដែលមានការងារប្រចាំថ្ងៃ។ ការត្រួតពិនិត្យនេះមានប្រចាំខែ ដើម្បីរាយការណ៍សម្រាប់ប្រព័ន្ធ និងការងារប្រចាំឆ្នាំ។

ពេទ្យក្រុកមាន

ពេកគ្គកម្មាន់គឺជាពេកផ្តុងខ្លាំងដែលបានផ្តើមដោយការផែនការ និងការដោកជាប្រើប្រាស់ ពេកនេះបណ្តាលឱ្យមានការព្យាក់ក្នុងយ៉ាងដូចត្រូវ។ នៅក្នុងចន្ទភាពពេកផ្តុងខ្លាំងនេះ កុមារបីដែលការព្យាក់ក្នុងទីក្រុងប្រាក់ប្រាក់ បន្ទាប់ពីការព្យាក់ក្នុងក្នុងតែងតែមានការក្រុត ហើយការក្រុតនេះអាចមានរយៈពេលជាប្រើប្រាស់ខ្លួន។

ເພື່ອກົດມານໍ້າບັນດາລາຍເຮັດ: ກາງກົດ ນິຜົມດູກສ່ວນເຕີມ

ការការពារប្រចាំដំបូងនឹងជីតិកមានមកពីជីតិកមានការបែបងារមានការបែបងារដូចជាក្រាយទេះ។ ដូច្នេះ ការពារប្រចាំដំបូងមួយលើកសម្រាប់ជីតិកមាន ត្រូវបានធ្វើនៅសម្រាប់មនុស្សដើម្បីទេដូចជាអាយុរប័ណ្ណទី១៧ឆ្នាំ នឹងទាញដើម្បីការពារភាពសំខែះពេលចូលពេញរឿយា។

ចុំបង្ការហើនមសម្រាប់ដីខាន់ស្ថាក់-គេតាណុស-ក្រុកមាន់

ច្បាប់ដូរបែន្ទុមសម្រាប់ដឹងខាន់ស្ថាក់-គេតាតុណាស-គួកមាន់ មានផ្លូវជាតិពុលិចត្បូចនៃដឹងខាន់ស្ថាក់ និងគេតាតុណាស ដែលត្រូវបានកែប្រែដើម្បីធ្វើឱ្យគ្មានក្រោះច្បាក់ ដោយមានចំណោកពិចត្តុចនៃធនកដុំសុទ្ធសម្រាប់ព្យាពាណជីគួកមាន់ ចំនួនពិចត្តុចនៃអំបិលអាលុយីព្យាម

និងសារធាតុក្នុងគោលការពីបានយក

ច្បាបដ្ឋារបេន្ទូមនេះមានកំហាប់ទាបដាច់មុន ជាពិសេស សមាសធាតុផ្លូវសម្រាប់ពញ្ជាលជាំដើម្បីខាល់ស្ថាក់ និងដំឡើកមាន់ ហើយប្រើបង្រៀនថ្មីដើម្បីចាក់បង្ហារ សម្រាប់កម្ម។

ចិត្តការកំណត់សំដែនទេសទៅមានសុវត្ថិភាព និងមានការស្តីពានល្អប៉ះពោះមនុស្សដែលទទួលបាន

ច្បាប់ដាករដៃបញ្ហាលត្តានេះ អាចត្រូវបានផ្តល់នោះពេលណាមួយបន្ទាប់ពីពាក់ច្បាប់ដាករដែលផ្តើកដាកិច្បាំព្យាបាលដីដែតជាមុសចិំ។

ធនប័ះពាល់នៃប្រធានបាលនៃមស្សាប់ដីជីខាន់ស្អាក់-តេតាពុស-កូរមាន់

ផលប៉ះពាល់ការគ្រឿងមានរកឃើតិចិច្ចុច ហើយធ្វើប៉ះបាត់ទៅវិញ។ ប្រសិនបើកីឡាមានប្រតិកម្មដូចខាងក្រោម កាន់ដឹងធ្វើប៉ះបាត់បន្ទាប់ពីបានចាក់ចុំបង្ហារ។

ជំនាញប៊ូលមេដ្ឋាន

- ដំឡើលាកសរៀសដែ (យើបាប់ខ្លាំង ស្នានិងកំភូនដៃខាងលើ)
 - ប្រតិកម្មអាជ្ញាស្តីផ្ទាល់ផ្តុ

បញ្ជីផែកមេលមុនពេលចាក់ប្រាំបង្ការរហូត

- មានអាមេណីមិនស្រួលនៅថ្ងៃចាកក្បែបង្ហារ (សីគុណភាពលើសពីៗ ដែលអាមេណី)
 - មានប្រតិកម្មអារ៉ែងសុច្សន់ផ្តល់រូបរាងមួយ
 - មានប្រតិកម្មច្បាន់ផ្តល់ចំណោមបញ្ជាផ្ទាល់
 - មានដែលពេចចាប់

បន្ទាប់ពីការចាក់ចុះបង្ហាញហេតុ សមដែលចាំនៅក្នុងចាក់ចុះយោងគិចទៅនាមទៅ។

ព័ត៌មានបន្ទះម

ប្រសិនបើអ្នកត្រូវការបេះក្សាប្លុតែមានបន្ទីម សូមទាក់ទងសេវាតាក់ចុំបង្ហាញរកបស់សាលាភ្លោះក្នុងគំបន់ ប្រជុំបណ្ឌិតក្នុងគំបន់បេស់អ្នក។
បេក្ខជនលីប្រសិនបើដាក់រាយការណ៍នេះ៖៖

Better Health Channel <<http://www.betterhealth.vic.gov.au>>

Immunise Australia Program <<http://www.immunise.health.gov.au>>

សម្រាប់សេវាបក្រប្រភាសាសន្តរ និងនិយាយ សម្រាប់លេខ 131 450

អីទៅដាកម្មវិធីជាតិស្ថិតិការពាក់ប្អាំបង្ហាររហ័ត ?

ការចាក់ចូលចាក់បង្ហាញខាងក្រោម ត្រូវបានណែនាំសម្រាប់សិស្សមជ្ឈមនីភ្នាព្យាបាល 7:

- ភេគប្បសដុះដើម្បីប្រជាប់បន្ថពុដ (HPV) (ការចាក់ប្លាំងពីរលើកជាប់ដោយទួរកពិត្យ នៅត្រូវដើម្បីដែងខាងលើ សម្រាប់ប្រាំម្វេខ)
 - ដើម្បីខាន់ស្អាត - តេតាណូស - គុកមាន់ (ការចាក់ប្លាំងតិចម្មាស នៅត្រូវដើម្បីដែងខាងលើ)។

ហេតុអីបានជាដឹកខ្សោយក្នុងបេសទាំងមួយនៅក្នុងបង្ការណ៍ ?

- ការពាក់ចូលរួមរាយ គឺជាមធ្យាបាយដែលមានសុវត្ថិភាពបំផុត និងមានប្រសិទ្ធភាពបំផុតដើម្បីបញ្ចប់ការរើករាលដាច់នៃជីថ្យដឹងជាប្រើប្រាស់
 - ការការពាក់ចូលរួមរាយ: ការពាក់ចូលរួមរាយ គឺមានភាពនិងចំណាំ ហើយត្រូវការពាក់ចូលរួមរាយទៅមកដើម្បីរួមចំណាំ និងសម្រាប់ចូលរួមរាយដោយចំណាំ គឺជាគេលណ៍ល្អបំផុតសម្រាប់ការពាក់ចូលរួមរាយ។
 - ចូលរួមរាយមិនត្រូវតែការពាក់ចូលរួមរាយទេ ប៉ុន្តែត្រូវបានរាយការណ៍សំខាន់ៗដូលសម្រាប់ប្រជាសហគមន៍។
 - ប្រសិនបើមនុស្សគ្រប់គ្នានៅក្នុងសហគមន៍បានពាក់ចូលរួមរាយ ដើម្បីនានាមិនអាចបញ្ជីពីមនុស្សម្នាក់ទៅមនុស្សម្នាក់នៅក្នុងសហគមន៍បានទេ។
 - នៅប្រទេសអូស្ស្រាលី ចូលរួមរាយត្រូវបានចុះហត្ថលេខាសម្រាប់ប្រើប្រាស់ដោយផ្តល់ពាល់ទិន្នន័យ (TGA)។ TGA មានប្រព័ន្ធយ៉ាងមួយដែលតាមដាន និងការណ៍តិ៍ផលប៉ះពាល់ចូលរួមរាយដើម្បីបញ្ចប់ពីការពាក់ចូលរួមរាយ។

ប្រសិនបើអ្នកផ្តល់ចូលគ្នាដែលមិនចងក្រោម អ្នកអាចដឹងការយល់ព្រមទាំងអ្នកនៅពេលណាក់បាន ដោយទាក់ទងសាលាភ្លោះតុងតុងដែលបានរបស់អ្នក។ សូមមើលថ្មីក្នុងព័ត៌មានបន្ទំម៍។

នៅថ្ងៃទាំងមីនាទីបង្ហារ

- កុនបេសអ្នកគ្រឹះទូលាទាមអាហារពេលព្រឹក
 - កុនបេសអ្នកគ្រឹះពាក់អារដិជលអាហារបើកចំហកក្នុងដៃខាងមុនឈើបានដោយសមរម្យ
 - កុនបេសអ្នកអាហារពាក់ថ្វាំសីលិមុន - ការនេះនឹងមិនបានឈើបាននិកចំយ៉ានដែលប៉ះពាល់ទេ
 - ធ្វើដំណឹងដល់បុគ្គលិកពាក់ថ្វាំបង្ហារកត ប្រសិនបើកុនបេសអ្នកមានការព្យួយបានមេ
 - កំណត់ត្រាដែលការពាក់ថ្វាំបង្ហារកៅកល់លើក នឹងត្រូវបានផ្តល់ជូនកុនបេសអ្នក - សូមរក្សាទុកកំណត់ត្រានេះឱ្យមានស្ថិតិភាព។

ទម្រង់បែបចុចយល់ត្រមសម្រាប់

ការយល់ព្រមទាំងបង្ការរោគបុសដុះលើប្រជាប់បន្ថព្យ (HPV) និងបង្ការកំបង្ហារបែន្ទែមសម្រាប់ជំងឺខាន់ស្អាក់ - តេតាពុស - ភ្លូកមាន់

ព័ត៌មានលម្អិតអំពីសិស្ស

លេខ Medicare (រូបមានលេខនៅក្បែរណ៍ហូស៊ីតុ)	
អ្នកចិនការប័ណ្ណ Medicare ក៏មានសិទ្ធិ ទទួលចូលចាក់បង្ហារហេតុទាំងនេះដោយ)	
នាមត្រកូល	
នាមខ្លួន	
អាសយដ្ឋានប្រសិទ្ធភាព	
លេខភូងប្រសិទ្ធភាព	
ថ្ងៃខែឆ្នាំកំណើត	
ភេទ	< សូមបញ្ជាក់ភេទ >
ឈ្មោះសាធារណៈ	
ចុះកំណើត	

ເຕີບຄະເນ: ຜ້າຜົນຜ້າຕີເພື່ອ ບຕລຜູ້ເສົ່າເລີ້ມເກ: Torres Strait? ສູມຄະສຍກບໍເຫຼືຍເສື້ອຍຕົບຜິດຕາງໄງ້ສັນເປົ້າ ເພີ້ມກະບຸກ 'X'

១៩	
ជនជាតិដីម៉ែង	
ពលរដ្ឋប្រជាធិបតេយ្យកោះ Torres Strait	
ជនជាតិដីម៉ែង និងពលរដ្ឋប្រជាធិបតេយ្យកោះ Torres Strait	

ព័ត៌មានលម្អិតអំពីមាតាបិតា បុរាណាព្យាបាលសិស្ស

លេខាធិការ ប្រធានាជាល់សិស្ស	
ទូរសព្ទពេលវេច្ឆេទ	
ទូរសព្ទចាប់លើត	
គីមឱល	

ការពុម្ពព្យាដែងចាក់ប្រាំបង្ការ

ការប្រកាស៖ ខ្ញុំមានសិទ្ធិដូចជាការយល់ព្រម បុមិនយល់ព្រមចាំពោះក្នុងរបស់ខ្ញុំខ្លួនការពាក់ច្បាប់បង្ហាញរកតែ ហើយដោយដូចជាការយល់ព្រម ខ្ញុំយល់ដឹងថា ក្នុងរបស់ខ្ញុំដឹងទូលាការពាក់ច្បាប់ដោយឡើងកើតឡើងម្មាសម្មាត់ដីខាន់ស្អាក់-គេតាមឯកសារ -ភ្នែកមាន និងកេត្យប្រុសដីៗប្រជាបន្ទូជា ខ្ញុំបានអាន ហើយខ្ញុំយល់ដឹងថា ពីព័ត៌មានដែលផ្តល់ឱ្យខ្ញុំ អំពីការពាក់ច្បាប់បង្ហាញរកតែ ម្មាសបាននិងការមិនបានចាត់ច្បាប់បង្ហាញរកតែ និងផែលប៊ែបណាននៃច្បាប់បង្ហាញរកតែ បង្ហាញរកតែ បង្ហាញរកតែ ខ្ញុំយល់ដឹងថា ខ្ញុំអាចចិត្តការក្នុងអំពីហានិកឱ្យ និងអគ្គុប្រយោជន៍នៃការពាក់ច្បាប់បង្ហាញរកដាមួយនឹងសាធារក្រុងគ្នាតំបន់ ប្រជុំបណ្តុំតុលាកស់ខ្ញុំ ខ្ញុំយល់ដឹងថា ខ្ញុំអាចជិកយកវិញ្ញានការយល់ព្រមនៅពេលណាក់បាន មនពេលទូលាការពាក់ច្បាប់បង្ហាញរកតែ

ច្បាស់ពាក្យរណ៍ប្រជាបន្ទុជ

សមគុសយកចម្លើយធ្វើយតបដែលបានព្យីសរីសនៅខាងក្រោម ដោយបើអក្សរ ‘X’

ពាហ ប្រចាំសំខ្លួនប្រមិភ្សនបេស់ខ្លួនទាក់ប្រើបង្គារហក HPV ចំនួនពីរលីកនៅសាលាដោយ (ការពាហក់ប្រើប្រាស់ដឹងដឹត យ្យាតពីត្រាប្រាំមួយខែ)	
ប្រសិនបើអ្នកបានធ្វើសយក 'ពាហ ប្រចាំសំខ្លួន' ខាងលើ សុមចុះហត្ថលេខា ប្រើបង្គារហក ឬសំអ្នក។	
កាលបរិច្ឆេទដែលអ្នកបានចុះហត្ថលេខាលើទម្រង់បែបបទនេះ។	
៩ ខ្លួនយល់ព្រមឱ្យក្នុងបេស់ខ្លួនទាក់ប្រើបង្គារហក HPV នៅពេលនេះទេ។	
៩ ក្នុងបេស់ខ្លួនបានពាហក់ប្រើបង្គារហក HPV នៅក្នុងឯកជំងឺដោយតាមបច្ចុប្បន្ន។	
ប្រសិនបើក្នុងបេស់ខ្លួនបានពាហក់ប្រើបង្គារហក HPV នៅក្នុងឯកជំងឺដោយតាមបច្ចុប្បន្ននៃការពាហក់ប្រើប្រាស់មួយលីក។	
លីកទី១៖	លីកទី២៖
	លីកទី៣៖ (ប៊ូណាន)

ກາຕາກໍບູ້ບັນຍາເບຣື່ອມສາມາບັດິສີຂາວ່າສູກໍ - ເຄຕາດຸສ - ຖົກໍ່ມາວ່າ

សមាគមយកចម្លោងដើម្បីយកតបដែលបានព្យីសវិសនីខាងក្រោម ដោយប្រើអគ្គរ 'X'

៣១ ប្រព័ន្ធដំឡើងបេសខ្លួនការពាក់ប្រើបង្ហាញកម្មបន្ទូលមសម្រាប់ដីជីថាន់ស្អាត់ - តែតាមឈាម - ភ្នៀវមាន់នៅសាធារណៈ (ការពាក់ប្រើបង្ហាយដោយ)។	
ប្រសិនបើអ្នកបានធ្វើសម្រេច '៣១ ប្រព័ន្ធ' ខាងលើ សុមចុះហត្ថលេខា ប្រាកែវបញ្ចូលលេខាប់របស់អ្នក។ កាលបរិច្ឆេទដែលអ្នកបានចុះហត្ថលេខាលើទម្រង់បែបទទេ។	
៤១ ខ្សែមិនយល់ព្រមទីក្រុងបេសខ្លួនការពាក់ប្រើបង្ហាញកម្មបន្ទូលមសម្រាប់ដីជីថាន់ស្អាត់ - តែតាមឈាម-ភ្នៀវមាន់នៅពេលនេះទេ។	
៤២ ក្នុងបេសខ្លួនពាក់ប្រើបង្ហាញកម្មបន្ទូលមសម្រាប់ដីជីថាន់ស្អាត់ - តែតាមឈាម-ភ្នៀវមាន់នៅក្នុងដៃអេក្រិយា។	

ប្រសិនបើកុនបេសអ្នកកំពុងទទួលភាពចាក់ចូលបង្ហារកែ សូមរាយបញ្ហាលន្តឹមទៅនៃអំពីស្ថានភាពសុខភាព ប្រតិកម្មអាមេរិកដូចនេះនៅមានប្រព័ន្ធប្រតិកម្មជាន់ធានីមនេទេនឹងភាពចាក់ចូលបង្ហារកែ។

សេចក្តីប្រកាសអំពីសិទ្ធិជន

ສະເພາະກຸດຖືຜົນດີບໍ່ ກຍກາຣົດທີ່ກາເຕາກ໌ຫຼັມຊູ່ມະນຸງຢູ່ເພື່ອໃຈ້ວ່າຜົນດີບໍ່ມີຄວາມສຳເນົາໃນລະບົບຂອງລາຍເມຍ: ກົມໂປີສາລາເງິນ ເຫັນເປັນຕົກກໍ່ຫຼັມບໍ່ບໍ່ມີກາເກຄະຫຼາຍ (Australian Immunisation Register) (AIR) ທີ່ຕື່ມານລະບົບຕູ້ເຫັນວ່າຜົນດີບໍ່ມີຄວາມສຳເນົາໃນລະບົບຂອງລາຍເມຍ: ສິນເປົ້າດັກກົມໂປີສາລາເງິນ ເຫັນເປັນຕົກກໍ່ຫຼັມບໍ່ມີກາເກຄະຫຼາຍ ເຊັ່ນ: ອົບນີ້ແມ່ນເປົ້າດັກກົມໂປີສາລາເງິນ ເຊັ່ນ: ອົບນີ້ແມ່ນເປົ້າດັກກົມໂປີສາລາເງິນ

ព័ត៌មានទាំងនេះត្រូវបានប្រើប្រាស់ បុរាណូសម្រាប់គោលបំណងទាំងអស់ដោយផ្ទាល់ទៅនឹងការពាក់ច្នៃបង្ការពេករបស់ក្រុងអ្នក ហើយនៅក្នុងដែលអ្នកនឹងរំពីដែលទុកចិត្ត។ នេះអាចឱ្យបញ្ចប់ទាំងការធ្វើប្រឡាត្រួតព័ត៌មានពាក់ច្នៃទៅខ្លួនដែលជាបណ្ឌិតបេស់អ្នក ដើម្បីពេលវេលាដែលអ្នក ទៅសេវាកម្មពុរិតាលសុខភាព បុមន្តីពេទ្យរៀងរាល់ជំនួយ បុសាលាក្រុងក្នុងគំបន់រៀងរាល់ជំនួយ អ្នកនូវព័ត៌មានទាំងនេះត្រូវបានប្រើប្រាស់អ្នកទៅរៀង តាមរយៈ SMS បុអីម៉ែល។ អ្នកអាចបើកចូលទិន្នន័យបេស់ក្នុងអ្នក ដោយទាំងសាលាក្រុងប្រចាំថ្ងៃ ដើម្បីដែលក្នុងបេស់អ្នកទៅរៀង។

សម្រាប់ប្រើប្រាស់ដោយការិយាល័យទីបុណ្យណានេះ:

ច្បាស់បង្ការ	កាលបរិច្ឆេទនៃការពាក់ច្នៃបង្ការពេក	អក្សរដើមនៃឈ្មោះរបស់គិលានុបង្ការ	កំន្លែងពាក់ច្នៃ: នឹង ឆ្លង/ស្អា
ច្បាស់ពាក់ HPV លីកទី១៩៖			
ច្បាស់ពាក់ HPV លីកទី២៨៖			

ច្បាស់បង្ការ	កាលបរិច្ឆេទនៃការពាក់ច្នៃបង្ការពេក	អក្សរដើមនៃឈ្មោះរបស់គិលានុបង្ការ	កំន្លែងពាក់ច្នៃ: នឹង ឆ្លង/ស្អា
ជំដឺខាន់ស្អាក់ - តែតាមឈស - ជុកមាន់			

អនុញ្ញាត និងប្រាក់ពុម្ពផ្សាយដោយ Victorian Government, 1 Treasury Place, Melbourne ٣ © រដ្ឋបាលក្រុមពេទ្យ Department of Health and Human Services ខែកុល ឆ្នាំ 2019 (1710008)

Year 7 Secondary School Vaccine Program consent form

Complete, sign and return to school

How to complete the form

1. Read the information provided.
2. Complete the Vaccine consent section for each vaccine program and sign or type your name if a Yes.
3. Return the consent sections to the school even if you do not want your child to be vaccinated.

Contact your local council for more information. See the Further information section.

Human papillomavirus (HPV) information

What is human papillomavirus?

HPV is a very common virus in men and women. It is very common to be infected with one or more types of HPV shortly after sexual activity starts. Most HPV infections cause no symptoms and are cleared from the body in less than a year without the person knowing they were infected. Some types of HPV can cause genital warts and some cancers. These cancers include cervical cancer in women, cancers of the genital area in men and women, and some cancers of the mouth and throat.

What are the benefits of receiving the HPV vaccine?

The HPV vaccine GARDASIL®9 protects against seven HPV types which cause over 90 per cent of cervical cancer in women and over 90 per cent of HPV-related cancers in men. It also protects against an additional two HPV types which cause 90 per cent of genital warts. The vaccine provides best protection when given at a younger age and when it is given to someone before they become sexually active. The vaccine prevents disease but does not treat existing HPV infections.

By vaccinating your child you are preventing them from being infected with a cancer-causing virus.

How is the vaccine given?

For children aged 14 years and under at the time of the first dose, the HPV vaccine consists of two injections given into the upper arm with the second dose given at least six months after the first. Please read the pre-immunisation checklist to see if your child needs three doses.

How long will vaccine protection last?

Recent studies have shown good continuing protection against HPV lasting for over 10 years to date. Studies are ongoing to determine if a booster dose will be necessary in the future but this is not thought to be likely.

How safe is the HPV vaccine?

It is safe and well tolerated. Worldwide over 200 million doses have been given over the last decade. The vaccine does not contain HPV but appears similar enough to the virus so that the body produces antibodies, which prevent HPV infection.

Will girls need cervical screening tests later in life?

Yes, because the vaccine doesn't prevent all types of HPV infection that cause cervical cancer, cervical screening tests are still essential for women later in life. Having regular cervical screening tests further reduces the risk of developing cervical cancer.

What are the possible side effects?

Common side effects

These indicate that your child's immune system is responding to the vaccine.

- Pain, redness and swelling at the injection site
- A temporary small lump at the injection site
- Low grade fever
- Feeling unwell
- Headache
- Fainting may occur up to 30 minutes after any vaccination.

If mild reactions do occur, the side effects can be reduced by:

- drinking extra fluids and not over-dressing if the person has a fever
- taking paracetamol and placing a cold, wet cloth on the sore injection site.

Uncommon side effects

- Rash or hives

It is recommended that anyone who has a rash or hives after a vaccine should talk with their immunisation provider before having further doses of that same vaccine.

Rare side effect

- A severe allergic reaction, for example facial swelling, difficulty breathing.

In the event of a severe allergic reaction, immediate medical attention will be provided. If reactions are severe or persistent, or if you are worried, contact your doctor or hospital.

Pre-immunisation checklist

Some children need a three-dose course of Gardasil®9 vaccine.

To ensure your child receives the correct spacing of the three doses, your child must attend their GP or a local council immunisation service.

Three doses of Gardasil®9 vaccine are recommended for:

- a child aged 15 years or over
- a child who has a disease or is having treatment which causes low immunity (for example HIV/AIDS, rheumatoid arthritis, cancer, radiotherapy, chemotherapy or significant immunosuppressive treatment).

Before your child is immunised, tell your doctor or nurse if any of the following apply.

- Is unwell on the day of immunisation (temperature over 38.5°C)
- Has had a severe reaction to any vaccine
- Has any severe allergies such as an anaphylactic reaction to yeast
- Is pregnant.

After vaccination wait at the place of vaccination a minimum of 15 minutes.

Diphtheria, tetanus and whooping cough information

Diphtheria

Diphtheria is caused by bacteria which are found in the mouth, throat and nose. Diphtheria causes a membrane to grow around the inside of the throat. This can make it difficult to swallow, breathe and can even lead to suffocation.

The bacteria produce a poison which can spread around the body and cause serious complications such as paralysis and heart failure. Around 10 per cent of people who contract diphtheria die from it.

Diphtheria can be caught through coughs and sneezes from an infected person.

Tetanus

Tetanus is caused by bacteria which are present in soils, dust and manure.

The bacteria can enter the body through a wound which may be as small as a pin prick. Tetanus cannot be passed from person to person.

Tetanus is an often fatal disease which attacks the nervous system. It causes muscle spasms first felt in the neck and jaw muscles. Tetanus can lead to breathing difficulties, painful convulsions and abnormal heart rhythms.

Because of the effective vaccine, tetanus is now rare in Australia, but it still occurs in adults who have never been immunised against the disease or who have not had their booster vaccines.

Whooping cough

Whooping cough is a highly contagious disease which affects the air passages and breathing. The disease causes severe coughing spasms. Coughing spasms are often followed by vomiting and the cough can last for months.

Whooping cough can be caught through coughs or sneezes from an infected person.

Protection against whooping cough both from the disease and the vaccine decreases over time. Therefore a booster dose of whooping cough vaccine is recommended for adolescents aged between 11 and 13 years to maintain immunity into adulthood.

Diphtheria-tetanus-whooping cough booster vaccine

The diphtheria-tetanus-whooping cough booster vaccine contains a small amount of diphtheria and tetanus toxins which are modified to make them harmless, small parts of purified components of whooping cough, a small amount of aluminium salt and preservative.

This booster vaccine has lower concentrations particularly of diphtheria and whooping cough components compared with the children's vaccine.

The vaccine is safe and well tolerated in adolescents.

This combination vaccine can be given any time after a recent tetanus-containing vaccine is given.

Possible side effects of diphtheria-tetanus-whooping cough booster vaccine

Most side effects are minor and quickly disappear. If the following reactions occur, it will be soon after the vaccination.

Common side effects

These indicate that your child's immune system is responding to the vaccine.

- Mild temperature
- Pain, redness and swelling at the injection site
- A temporary small lump at the injection site
- Feeling unwell
- Fainting may occur up to 30 minutes after any vaccination.

If mild reactions do occur, the side effects can be reduced by:

- drinking extra fluids and not over-dressing if the person has a fever
- taking paracetamol and placing a cold, wet cloth on the sore injection site.

Extremely rare side effects

- Brachial neuritis (severe pain, shoulder and upper arm)
- Severe allergic reaction.

In the event of a severe allergic reaction, immediate medical attention will be provided. If reactions are severe or persistent, or if you are worried, contact your doctor or hospital.

Pre-immunisation checklist

Before your child is immunised, tell your doctor or nurse if any of the following apply.

- Is unwell on the day of immunisation (temperature over 38.5°C)
- Has any severe allergies
- Has had a severe reaction to any vaccine
- Is pregnant.

After vaccination wait at the place of vaccination a minimum of 15 minutes.

Further information

If you require further advice or information, please contact your local council immunisation service or local doctor.

Or visit the following websites:

[Better Health Channel](http://www.betterhealth.vic.gov.au) <<http://www.betterhealth.vic.gov.au>>

[Immunise Australia Program](http://www.immunise.health.gov.au) <<http://www.immunise.health.gov.au>>

Translating and interpreting service call 131 450

What is the National Immunisation Program?

An Australian government, state government and local council initiative, the National Immunisation Program aims to protect the community from vaccine preventable diseases. As part of the program, free vaccines are offered to, and recommended for, Year 7 secondary school students.

The following vaccines are recommended for Year 7 secondary school students:

- Human papillomavirus (HPV) (two separate injections in the upper arm, over six months apart)
- Diphtheria-tetanus-whooping cough (a single injection in the upper arm).

Vaccines are administered by immunisation nurses, employed by local council immunisation services, who visit each Victorian secondary school a number of times a year.

Why should I have my child immunised?

- Immunisation is the safest and most effective way to stop the spread of many infectious diseases.
- The protection provided by some childhood vaccines fades and needs to be boosted in adolescence and for other vaccines, adolescence is the best time for the vaccine to be given.
- Vaccines not only protect your child from harmful diseases, but offer important benefits for the long-term health of the community.
- If enough people in the community are immunised, the diseases can no longer be spread from person to person in the community.

- In Australia, vaccines are registered for use by the Therapeutic Goods Administration (TGA). The TGA has a surveillance system which monitors and reports adverse events following immunisation.

If you change your mind, you can withdraw your consent at any time by contacting your local council. See the Further information section.

On the day of the vaccinations:

- your child should have breakfast
- your child should wear a top that is suitable for the upper arm/s to be exposed
- your child may have more than one injection – this will not increase risk of side effects
- notify immunisation staff if your child is anxious
- a record of each vaccine administered will be given to your child – store this safely.

Consent form for:

Human papillomavirus (HPV) vaccine consent and Diphtheria-tetanus-whooping cough booster vaccine

Student details

Medicare number (including number beside child's name) (Non-Medicare cardholders are also eligible for these vaccines)	
Surname	
First name	
Postal address	
Postcode	
Date of birth	
Gender	<please indicate gender>
School name	
Class	

Is this person of Aboriginal or Torres Strait Islander origin? Mark chosen response with an 'X'

No	
Aboriginal	
Torres Strait Islander	
Aboriginal and Torres Strait Islander	

Parent or guardian contact details

Name of parent or guardian	
Daytime phone	
Mobile	
Email	

Vaccine consent

Declaration: I am authorised to give consent or non-consent for my child to be vaccinated and by giving consent, I understand my child will be given separate vaccines for diphtheria-tetanus-whooping cough, and human papillomavirus. I have read and I understand the information given to me about vaccination, including the risks of not being vaccinated and the side effects of vaccines. I understand I can discuss the risks and benefits of vaccination with my local council or doctor. I understand that consent can be withdrawn at any time before vaccination takes place.

Human papillomavirus (HPV) vaccine

Please mark your chosen response, below, with an 'X'.

YES, I consent to my child receiving two doses of HPV vaccine at school (two injections, six months apart).	
If you have selected 'Yes' above please sign or type your name.	

Date you signed this form.				
No, I do not consent to my child receiving the HPV vaccine at this time.				
No, my child has had the HPV vaccine elsewhere.				
If your child has had the HPV vaccine elsewhere please type the dates of each dose				
1st dose:		2nd dose:		3rd dose: (if applicable)

Diphtheria-tetanus-whooping cough booster vaccine

Please mark your chosen response, below, with an 'X'.

YES, I consent to my child receiving the diphtheria-tetanus-whooping cough booster vaccine at school (one injection).		
If you have selected 'Yes' above please sign or type your name.		
Date you signed this form.		
No, I do not consent to my child receiving the diphtheria-tetanus-whooping cough booster vaccine at this time.		
No, my child has had the diphtheria-tetanus-whooping cough booster vaccine elsewhere.		

If your child is being vaccinated, please type here any pre-existing medical condition, severe allergies or previous severe reaction to vaccination.

Privacy statement

The Year 7 Secondary School Vaccine Program is funded by the Australian and Victorian governments and delivered by local councils. Under the *Public Health and Wellbeing Act 2008*, local councils are responsible for coordinating and providing immunisation services to children being educated within the municipal district. Local councils are committed to protecting the privacy, confidentiality and security of personal information, in accordance with the *Privacy and Data Protection Act 2014* and the *Health Records Act 2001*.

Local councils report vaccines given through school programs to the Australian Immunisation Register (AIR). Personal identifying details will be kept confidential. These details are for the purpose of providing targeted improved health services for all Victorian children. In addition the details enable tools such as recall and reminder systems to improve vaccination rates. This is important to improve immunisation rates overall. Individuals will have access to their record of all vaccines recorded in the AIR. Aggregate immunisation data may be disclosed to the Victorian government for the purpose of monitoring, funding and improving the Year 7 Secondary School Vaccine Program. This information does not identify any individual.

Information related to you or your child will be used or disclosed for purposes directly related to your child's immunisation, and in ways that you would reasonably expect. This may include the transfer or exchange of relevant information to your GP, to your child's GP, to another treating health service or hospital or another local council. The local council may provide you with information related to the school vaccine program via SMS or email. You can access your child's data by contacting the local council where your child attends school.

The vast majority of people complete and return this form. Thank you for returning yours.

Office use only

Vaccine	Vaccination date	Nurse initials	Site: L/R arm
HPV 1st dose:			
HPV 2nd dose:			

Vaccine	Vaccination date	Nurse initials	Site: L/R arm
Diphtheria-tetanus-whooping cough			

Authorised and published by the Victorian Government, 1 Treasury Place, Melbourne. © State of Victoria, Department of Health and Human Services, September 2019. (1710008)